

AD-A095 917

BROWN UNIV PROVIDENCE RI DEPT OF CHEMISTRY F/G 7/2  
PREPARATION AND ELECTRONIC PROPERTIES OF SEVERAL MEMBERS OF THE--ETC(U)  
FEB 81 B KHAZAI, R KERSHAW, K DWIGHT, A WOLD N00014-77-C-0387  
UNCLASSIFIED TR-14 NL

| OF |  
20 09 0-7



AD A 095917

DDG FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 14	2. GOVT ACCESSION NO. AD-A095 917	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Preparation and Electronic Properties of Several Members of the System $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$		5. TYPE OF REPORT & PERIOD COVERED Technical
7. AUTHOR(s) B. Khazai, R. Kershaw, K. Dwight and A. Wold		6. PERFORMING ORG. REPORT NUMBER ✓ 14
9. PERFORMING ORGANIZATION NAME AND ADDRESS Professor Aaron Wold Brown University, Department of Chemistry Providence, Rhode Island 02912		8. CONTRACT OR GRANT NUMBER(s) N00014-77-C-0387 ✓
11. CONTROLLING OFFICE NAME AND ADDRESS Dr. David Nelson, Code 472 Office of Naval Research Arlington, Virginia		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR-359-655
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE February 27, 1981
LEVEL		13. NUMBER OF PAGES 12
		15. SECURITY CLASS. (of this report); 15a. DECLASSIFICATION DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Submitted to Materials Research Bulletin		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) rutile titanium iron niobate magnetic and electrical properties		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Members of the series $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$ ( $x = 0.1, 0.2, 0.3$ ) were synthesized and their electrical and magnetic properties studied. Powder diffraction patterns of the products could be indexed on the basis of a tetragonal rutile unit cell (space group $P4_2/mnm-D_{2h}^{14}$ ). Measurements of sintered discs at 300K gave resistivity values of the order of $10^6 \Omega\text{-cm}$ . Magnetic susceptibility studies lead to an assignment of $\text{Fe}^{3+}\text{Nb}_{2x/3}^{5+}\text{Ti}_{x/3}^{3+}\text{Ti}_{1-4x/3}^{4+}\text{O}_2$ for the formal valencies of the ions. It appears that the observed high resistivity is the result of disordering of the ions in the rutile structure.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S. N. 0102-014-6501105436  
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

OFFICE OF NAVAL RESEARCH

Contract N00014-77-C-0387

Task No. NR-359-653

TECHNICAL REPORT NO. 14

Preparation and Electronic Properties of Several Members of the

System  $\text{Fe}_{(x/3)}\text{Nb}_{(2x/3)}\text{Ti}_{(1-x)}\text{O}_2$

by

E. J. Khan, R. Kershaw, K. Dwight and A. Wold

Prepared for Publication

in the

Materials Research Bulletin

Brown University

Department of Chemistry

Providence, Rhode Island

February 27, 1981

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Avail and or	
Dist	Special
A	

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

445 436

1 81 3 04 025

PREPARATION AND ELECTRONIC PROPERTIES OF SEVERAL MEMBERS OF THE

SYSTEM  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$

by

Bijan Khazai, Robert Kershaw, Kirby Dwight and  
Aaron Wold

Members of the series  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$  ( $x=0.1, 0.2, 0.3$ ) were synthesized and their electrical and magnetic properties studied. Powder diffraction patterns of the products could be indexed on the basis of a tetragonal rutile unit cell, (~~space group~~  $P4_2/mnm-D_{2h}^{14}$ ). Measurements of sintered discs at 300K gave resistivity values of the order of  $10^6 \Omega\text{-cm}$ . Magnetic susceptibility studies lead to an assignment of  $\text{Fe}^{3+}_{x/3}\text{Nb}^{5+}_{2x/3}\text{Ti}^{3+}_{x/3}\text{Ti}^{4+}_{1-4x/3}\text{O}_2$  for the formal valencies of the ions. It appears that the observed high resistivity is the result of disordering of the ions in the rutile structure.

Introduction

A large number of recent publications have described the use of both  $n\text{-TiO}_2$  or  $n\text{-Fe}_2\text{O}_3$  as materials which can be used to prepare anodes capable of converting solar energy into electrical energy. In addition to the low efficiency shown by both materials, there are questions concerning the stability of  $\text{TiO}_2$  (1) in the presence of oxygen production at the electrode surface.

Despite its lower optical band gap (2.2 eV),  $\alpha\text{-Fe}_2\text{O}_3$  is not a photoconductor because of its high resistivity, which results from the presence of iron in only the +3 valence state (2). Attempts to prepare conducting  $\alpha\text{-Fe}_2\text{O}_3$  resulted in the formation of  $\text{Fe}_3\text{O}_4$ , which reduces markedly the photo-response.

The rare mineral niobian rutile from Salak, North Malaya, has the reported composition  $\text{Fe}_x(\text{II})(\text{NbTa})_{2x}\text{Ti}_{1-x}\text{O}_2$  (3) and contains both iron and either niobium or tantalum ions substituted for titanium in the  $\text{MO}_6$  octahedra.

However, there appears little evidence for the assignment of these reported formal valencies.

As a result of the existence of this mineral, a study was undertaken in order to determine if members of the series  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$  could be prepared and their magnetic and electrical properties determined. From such a study, appropriate values could be assigned to the valencies of the transition metal ions and the electrical properties of these compounds could be related to their structure.

#### Experimental Section

Members of the system  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$  were prepared by direct combination of  $\text{Fe}_2\text{O}_3$ ,  $\text{Nb}_2\text{O}_5$  and  $\text{TiO}_2$  under an argon atmosphere at  $1250^\circ\text{C}$ . The  $\text{Fe}_2\text{O}_3$  was obtained from Johnson-Matthey (Specpure) and the  $\text{Nb}_2\text{O}_5$  from Kawecki Berylco Industries;  $\text{TiO}_2$  was prepared by the slow decomposition of ammonium titanyl oxalate (Johnson-Matthey).

Discs of the products where  $x = 0.1, 0.2, 0.3$  were prepared by pressing aliquots of approximately 150 mg at 90,000 P.S.I. The pressed discs were placed on a platinum strip which was then heated, under argon, in a hollow global tube furnace to  $1250^\circ\text{C}$  at a rate of  $85^\circ$  per hour, and maintained at that temperature for 24 hours. At the end of the sintering process, the discs were cooled at the same rate.

Powder diffraction patterns were obtained with a Philips Norelco diffractometer using monochromated high-intensity  $\text{CuK}\alpha_1$  radiation ( $\lambda = 1.5405 \text{ \AA}$ ). Initially, all products were examined by fast scans at  $1^\circ (2\theta)$  per minute in order to determine the presence of obvious impurities. Slow scans at  $0.25^\circ (2\theta)$  per minute were obtained for all single-phase samples, and their lattice parameters were determined by least squares analysis of all the peak positions in the range  $12^\circ \leq 2\theta \leq 72^\circ$ .

The resistivities of the samples were measured using the Van der Pauw technique. Contacts were made by the ultrasonic soldering of indium directly onto the samples, and their ohmic behavior was established by measuring their current-voltage characteristics.

Magnetic susceptibilities were measured using a Faraday balance (4) over the range from liquid nitrogen to room temperature at a field strength of 10.4 kOe. Hondo-Owen (field dependency) plots were also made to determine the presence or absence of ferromagnetic impurities. The data were then corrected for core diamagnetism (5).

#### Results and Discussion

For the composition range studied ( $x = 0.1, 0.2, 0.3$ ), both iron and niobium atoms can be substituted for titanium in the rutile structure (space group  $\text{P}4_2/\text{mmn}-D_{2h}^{14}$ ). The powder diffraction patterns of the products can be indexed on the basis of a tetragonal unit cell. As seen in Table 1, there is a monotonic increase in cell parameters with increasing values of  $x$ .

TABLE 1

PRECISION LATTICE CONSTANTS FOR THE SYSTEM  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$ 

<u>Composition</u>	<u>a(Å)</u>	<u>c(Å)</u>
x = 0	4.594 (1)	2.960 (1)
x = 0.1	4.610 (1)	2.969 (1)
x = 0.2	4.627 (1)	2.977 (1)
x = 0.3	4.646 (1)	2.986 (1)

Magnelli and co-workers (6) have shown that the pure rutile,  $\text{TiO}_2$ , can be reduced to form nonstoichiometric compositions having shear structures as a result of the formation of  $\text{Ti}^{3+}(3d^1)$ . The  $3d^1$  electrons created by the reduction of Ti (IV) to Ti (III), can occupy a partially filled conduction band which gives rise to conductivity.

Resistivity measurements for members of the series  $\text{Fe}_{x/3}\text{Nb}_{2x/3}\text{Ti}_{1-x}\text{O}_2$  gave values of the order of  $10^6 \Omega\text{-cm}$  at 300K. The lack of conductivity indicated a need to determine the actual valencies of the ions present and to correlate these results with the ordering of the ions in the rutile structure.

The results of magnetic measurements for the compositions where  $x = 0.1, 0.3$  are indicated in Figure 1, where inverse susceptibility is plotted vs. temperature. It is clear that both compositions show a Curie-Weiss behavior. As indicated in Table 2, two sets of magnetic couples can be considered.

TABLE 2

MAGNETIC DATA FOR  $\text{Fe}_{.1}\text{Nb}_{.2}\text{Ti}_{.7}\text{O}_2$  ( $x = 0.3$ )

<u>Couple</u>	<u><math>C_{M \text{ eq. Fe}}^{\text{theo}}</math></u>	<u><math>C_{M \text{ eq. Fe}}^{\text{exp'tl}}</math></u>
$\text{Fe}^{2+}, \text{Ti}^{4+}$	3.00	4.85
$\text{Fe}^{3+}, \text{Ti}^{3+}$	4.75	4.85

The first model assumes magnetic contributions from  $\text{Fe}^{2+}$  only, since  $\text{Ti}^{4+}$  is a  $3d^0$  ion. This is consistent with the well-known observation that  $\text{Fe}^{3+}$  is not stable under reducing conditions at elevated temperatures. Assuming a  $\text{Fe}^{2+} - \text{Ti}^{4+}$  couple, a value for the Curie constant for a mole equivalent of iron  $C_{M \text{ eq. Fe}} = 3.00$  can be calculated.

A second possibility is the existence of a  $\text{Fe}^{3+} - \text{Ti}^{3+}$  couple. This leads to a Curie constant of 4.75. This value is in close agreement with the experimental value of 4.85. Hence an assignment of  $\text{Fe}_{x/3}^{3+} \text{Nb}_{2x/3}^{5+} \text{Ti}_{x/3}^{3+} \text{Ti}_{1-4x/3}^{4+} \text{O}_2$  can be made for the valencies of the ions in this phase.

The observed high resistivity for the products prepared may be attributed to a random distribution of the ions in the rutile structure. Such disorder prevents the formation of  $\text{Ti}^{3+} - \text{O} - \text{Ti}^{4+}$  conduction paths.


#### ACKNOWLEDGMENTS

The Office of Naval Research, Arlington, Virginia, supported the work of Bijan Khazai and Kirby Dwight. In addition, the authors would like to acknowledge the support of the Materials Research Laboratory Program at Brown University.


Figure 1  
Inverse magnetic susceptibility  
vs. temperature

#### References

1. L. A. Harris and R. H. Wilson, J. Electrochem Soc., 123, 1010 (1976).  
L. A. Harris, D. R. Cross and M. E. Gerstner *ibid*, 124, 839 (1977).
2. P. Merchant, R. Collins, R. Kershaw, K. Dwight and A. Wold; J. of Solid State Chemistry, 27, 307 (1979).
3. B. H. Flintner, Geological Survey of Malaya, IPOH; A.S.T.M. powder diffraction file card number 11-396.
4. B. Morris and A. Wold, Rev. Sci. Instr. 39, 1937 (1968).
5. P. W. Selwood, "Magnetochemistry", 2nd ed., Interscience Publishing Co., 1956.
6. S. Anderson, B. Collen, U. Kylenehtierna and A. Magnelli, Acta Chemica Scand. 11, 1641 (1957).



$$\chi^{-1} \text{ (emu/mol. eq. Fe)}^{-1}$$





TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 472 800 North Quincy Street Arlington, Virginia 22217	2	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 1211 Research Triangle Park, N.C. 27709	1
ONR Branch Office Attn: Dr. George Sandoz 536 S. Clark Street Chicago, Illinois 60605	1	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Area Office Attn: Scientific Dept. 715 Broadway New York, New York 10003	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
ONR Western Regional Office 1030 East Green Street Pasadena, California 91106	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
ONR Eastern/Central Regional Office Attn: Dr. L. H. Peebles Building 114, Section D 666 Summer Street Boston, Massachusetts 02210	1	Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940	1
Director, Naval Research Laboratory Attn: Code 6100 Washington, D.C. 20390	1	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
The Assistant Secretary of the Navy (RE&S) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	1	Office of Naval Research Attn: Dr. Richard S. Miller 800 N. Quincy Street Arlington, Virginia 22217	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Naval Ocean Systems Center Attn: Dr. S. Yamamoto, Marine Sciences Division San Diego, California 91232	1
Dr. Fred Saalfeld Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1

TECHNICAL REPORT DISTRIBUTION LIST, GENNo.  
Copies

Dr. Rudolph J. Marcus  
Office of Naval Research  
Scientific Liaison Group  
American Embassy  
APO San Francisco 96503

1

Mr. James Kelley  
DTNSRDC Code 2803  
Annapolis, Maryland 21402

1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. Paul Delahay Department of Chemistry New York University New York, New York 10003	1	Dr. P. J. Hendra Department of Chemistry University of Southampton Southampton SO9 5NH United Kingdom	1
Dr. E. Yeager Department of Chemistry Case Western Reserve University Cleveland, Ohio 44106	1	Dr. Sam Perone Department of Chemistry Purdue University West Lafayette, Indiana 47907	1
Dr. D. N. Bennion Department of Chemical Engineering Brigham Young University Provo, Utah 84602	1	Dr. Royce W. Murray Department of Chemistry University of North Carolina Chapel Hill, North Carolina 27514	1
Dr. R. A. Marcus Department of Chemistry California Institute of Technology Pasadena, California 91125	1	Naval Ocean Systems Center Attn: Technical Library San Diego, California 92152	1
Dr. J. J. Auborn Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. C. E. Mueller The Electrochemistry Branch Materials Division, Research & Technology Department Naval Surface Weapons Center White Oak Laboratory Silver Spring, Maryland 20910	1
Dr. Adam Heller Bell Laboratories Murray Hill, New Jersey 07974	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. T. Katan Lockheed Missiles & Space Co., Inc. P.O. Box 504 Sunnyvale, California 94088	1	Dr. J. Boechler Electrochimica Corporation Attention: Technical Library 2485 Charleston Road Mountain View, California 94040	1
Dr. Joseph Singer, Code 302-1 NASA-Lewis 21000 Brookpark Road Cleveland, Ohio 44135	1	Dr. P. P. Schmidt Department of Chemistry Oakland University Rochester, Michigan 48063	1
Dr. B. Brummer EIC Incorporated 55 Chapel Street Newton, Massachusetts 02158	1	Dr. H. Richtol Chemistry Department Rensselaer Polytechnic Institute Troy, New York 12181	1
Library P. R. Mallory and Company, Inc. Northwest Industrial Park Burlington, Massachusetts 01803	1		

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. A. B. Ellis Chemistry Department University of Wisconsin Madison, Wisconsin 53706	1	Dr. R. P. Van Duyne Department of Chemistry Northwestern University Evanston, Illinois 60201	1
Dr. M. Wrighton Chemistry Department Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1	Dr. B. Stanley Pons Department of Chemistry University of Alberta Edmonton, Alberta CANADA T6C 2G2	1
Larry E. Plew Naval Weapons Support Center Code 30736, Building 2906 Crane, Indiana 47522	1	Dr. Michael J. Weaver Department of Chemistry Michigan State University East Lansing, Michigan 48824	1
S. Rubv DOF (STOR) 600 E Street Washington, D.C. 20545	1	Dr. R. David Rauh EIC Corporation 55 Chapel Street Newton, Massachusetts 02158	1
<del>Dr. Aaron Wold Brown University Department of Chemistry Providence, Rhode Island 02192</del>	<del>1</del>	Dr. J. David Margerum Research Laboratories Division Hughes Aircraft Company 3011 Malibu Canyon Road Malibu, California 90265	1
Dr. R. C. Chudacek McGraw-Edison Company Edison Battery Division Post Office Box 28 Bloomfield, New Jersey 07003	1	Dr. Martin Fleischmann Department of Chemistry University of Southampton Southampton SO9 5NH England	1
Dr. A. J. Bard University of Texas Department of Chemistry Austin, Texas 78712	1	Dr. Janet Ostervoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. M. M. Nicholson Electronics Research Center Rockwell International 3370 Miraloma Avenue Anaheim, California	1	Dr. R. A. Ostervoung Department of Chemistry State University of New York at Buffalo Buffalo, New York 14214	1
Dr. Donald W. Ernst Naval Surface Weapons Center Code R-33 White Oak Laboratory Silver Spring, Maryland 20910	1	Mr. James R. Moden Naval Underwater Systems Center Code 3632 Newport, Rhode Island 02840	1

TECHNICAL REPORT DISTRIBUTION LIST, 359

	<u>No.</u> <u>Copies</u>		<u>No.</u> <u>Copies</u>
Dr. R. Nowak Naval Research Laboratory Code 6130 Washington, D.C. 20375	1	Dr. John Kincaid Department of the Navy Strategic Systems Project Office Room 901 Washington, DC 20376	1
Dr. John F. Houlihan Shenango Valley Campus Pennsylvania State University Sharon, Pennsylvania 16146	1	M. L. Robertson Manager, Electrochemical Power Sonics Division Naval Weapons Support Center Crane, Indiana 47522	1
Dr. M. G. Sceats Department of Chemistry University of Rochester Rochester, New York 14627	1	Dr. Elton Cairns Energy & Environment Division Lawrence Berkeley Laboratory University of California Berkeley, California 94720	1
Dr. D. F. Shriver Department of Chemistry Northwestern University Evanston, Illinois 60201	1	Dr. Bernard Spielvogel U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709	1
Dr. D. H. Whitmore Department of Materials Science Northwestern University Evanston, Illinois 60201	1	Dr. Denton Elliott Air Force Office of Scientific Research Bldg. 104 Bolling AFB Washington, DC 20332	1
Dr. Alan Bewick Department of Chemistry The University Southampton, SO9 5NH England	1		
Dr. A. Himy NAVSEA-5433 NC #4 2541 Jefferson Davis Highway Arlington, Virginia 20362	1		